

BIBLIOGRAPHY

PALLIATIVE CARE IN END-STAGE RENAL DISEASE

Advance Care Planning

Cohen LM, McCue J, Germain M, Woods A. Denying the dying: advance directives and dialysis discontinuation. *Psychosomatics* 1997;38:27-34.

Cohen LM, Woods A, McCue J. The challenge of advance directives and ESRD. *Dial Transplant* 1991;20:593-594, 614.

Germain MJ, Cohen L. Supportive care for patients with renal disease: time for action. *Am J Kidney Dis* 2001;38(4):884-886.

Hines SC, Glover JJ, Holley JL, Babrow AS, Badzek LA, Moss AH. Dialysis patients' preferences for advance care planning and end-of-life decision making. *Ann Intern Med* 1999;130:825-828.

Holley JL, Hines SC, Glover JJ, Babrow AS, Badzek LA, Moss AH. Failure of advance care planning to elicit patients' preferences for withdrawal from dialysis. *Am J Kidney Dis* 1999;33:688-693.

Holley JL, Nespor S, Rault R. Chronic in-center hemodialysis patients' attitudes, knowledge, and behavior towards advance directives. *J Am Soc Nephrol* 1993;3:1405-1408.

Holley JL, Nespor S, Rault R. The effects of providing chronic hemodialysis patients written material on advance directives. *Am J Kidney Dis* 1993;22: 413-418.

Holley JL, Stackiewicz L, Dacko C, Rault R. Factors influencing dialysis patients' completion of advance directives. *Am J Kidney Dis* 1997;30:356-360.

Levinsky NG, Rettig RA. The Medicare end-stage renal disease program. A report from the Institute of Medicine. *N Engl J Med* 1991;324:1143-1148.

Loftin LP, Beumer C. Collaborative end-of-life decision making in end stage renal disease. *ANNA J* 1998;25(6):615- 616, 597.

Patient Services Committee, National Kidney Foundation. *Implementing Advance Directives: Suggested Guidelines for Dialysis Facilities*, 1993 [Co-authors: Coleman WR, King K.]

Perry E, Swartz R, Wheelock-Smith L, Westbrook J, Buck C. Why is it difficult for staff to discuss advance directives with chronic dialysis patients? *J Am Soc Neph* 1996;7(10):2160-2168.

Singer PA. Advance care planning in dialysis. *Am J Kidney Dis* 1999;33:980-991.

Singer PA and the ESRD Network of New England. Nephrologists' experience with and attitudes toward decisions to forego dialysis. *J Am Soc Neph* 1992;2:1235-1240.

Swartz R, Perry E. Advance directives are associated with "good deaths" in chronic dialysis patients. *J Am Soc Neph* 1993;3:1623-1630.

Swartz R, Perry E. Advance directives in ESRD inherently involve family and staff. *Adv Ren Repl Ther* 1998;5:109-119.

Swartz R, Perry E. Medical family: a new view of the relationship between chronic dialysis patients and staff arising from discussions about advance directives. *J Wom Health* 1999;8:1147-1153.

Cardiopulmonary Resuscitation and Do Not Resuscitate Orders

Foulks CJ, Holley JL, Moss AH: The use of CPR: how nephrologists and internists differ. *Am J Kidney Dis* 28:379-83, 1991.

Germain MJ, Cohen L. Supportive care for patients with renal disease: time for action. *Am J Kidney Dis* 2001;38(4):884-886.

Holley JL, Finucane TE, Moss AH. Dialysis patients' attitudes about cardiopulmonary resuscitation and stopping dialysis. *Am J Nephrol* 1989;9:245-251.

Moss AH, Holley JL, Upton MB. Outcome of cardiopulmonary resuscitation in dialysis patients. *J Am Soc Nephrol* 1992;3:238-43.

Moss AH, Hozayen O, King K, Holley JL, Schmidt RJ. Attitudes of patients toward cardiopulmonary resuscitation in the dialysis unit. *Am J Kidney Dis* 2001;38(4):847-852.

Moss AH, MacKay K. Deciding resuscitation status with dialysis patients and their families: a tale of two cases. *Seminars in Dialysis* 1994;7:347-350.

Rogers K, Crawford D, Tzamaloukas AH. Cardiopulmonary resuscitation preferences of patients on chronic hemodialysis. *Dial Transplant* 1990;19:182-184.

Stopping Dialysis – Ethical and Legal Issues

Badzek LA, Cline HS, Moss AH, Hines SC. Inappropriate use of dialysis for some elderly patients: nephrology nurses' perceptions and concerns. *Nephrol Nurs J* 2000; 27:462-470.

Bowman KW, Singer PA. End-of-life care in dialysis. In: Levinsky NG, ed. *Ethics and the Kidney*. New York, NY, Oxford University, 2001, pp 110-129.

Cassel CK, Moss AH, Rettig, RA, Lewinsky NG. Ethical issues. In Rettig RA, Lewinsky NG, eds. *Kidney Failure and the Federal Government*. Washington, DC, National Academy Press, 1991, pp 51-61.

Cooper MC. Ethical decision making in nephrology nursing for end-of-life care: a responsibility and opportunity. *ANNA J* 1998;25(6):603-609, 614.

Cummings NB. Withholding and withdrawing dialysis. *Mediguide to Nephrology* 1998;6:1-6.

Dossetor J, Kjellstrand, C. Ethical problems in selection for dialysis and transplantation, in Kjellstrand C, Dossetor J, eds. *Ethical Problems in Dialysis and Transplantation*. The Netherlands, Kluwer Academic Publishers, 1992, pp 37-52.

Foulks CJ, Holley JL, Moss AH. Nephrologists' reported attitudes about factors influencing recommendations to initiate or withdraw dialysis. *J Am Soc Nephrol* 1991;1:1284-8.

Hines SC, Babrow AS, Badzek L, Moss AH. Communication and problematic integration in end-of-life decisions: dialysis decisions among the elderly. *J Health Commun* 1997;9:199-217.

Hines SC, Badzek LA, Moss AH. Informed consent among chronically ill elderly: assessing its (in) adequacy and predictors. *J Appl Commun Res* 1997;25:151-169.

Hines SC, Moss AH, Badzek L. Being involved or just being informed? communication preferences of seriously ill, older adults. *Commun Quarterly* 1997;45:268-281.

Hines S, Moss AH, McKenzie J. Prolonging life or prolonging death: communication's role in difficult dialysis decisions. *J Health Commun* 1997;9:369-388.

Holley JL. What are the important ethical issues in chronic dialysis? *Seminars in Dialysis* 1990;3:212-213.

Holley JL, Finucane TE, Moss AH. Dialysis patients' attitudes about cardiopulmonary resuscitation and stopping dialysis. *Am J Nephrol* 1989;9:245-251.

Husebye D, Kjellstrand CM. Denial of and withdrawal from dialysis in the old. *Int J Art if Organs* 1987;10:166-172.

Keating RF, Moss AH, Sorkin MI, Paris JJ. Stopping dialysis of an incompetent patient over the family's objection: is it ever ethical? *J Am Soc Nephrol* 1994;4:1879-8.

Kjellstrand CM: The impossible choice. *JAMA* 257:233 1987

Kjellstrand CM. Is one allowed to stop artificial organs and let patients die? *Trans Amer Soc Artif Int Organs* 1987;32(2):671.

Kjellstrand CM. The physician's duties in smoothing the avenues of death. *Trans Amer Soc Artif Int Organs* 1987;32(2):676-679.

Kjellstrand CM. Choosing death: withdrawal without medical reason from chronic dialysis. *Acta Med Scand* 1988;223:181-186.

Kjellstrand CM. Who should decide about your death? Editorial *JAMA* 1992;267:103-104.

Kjellstrand C. Stopping dialysis, practical aspects and cultural differences. In Kjellstrand C, Dossetor J, eds. *Ethical Problems in Dialysis and Transplantation*. The Netherlands, Kluwer Academic Publishers, 1992, pp 105-118.

Kjellstrand C: Stopping dialysis - different views, in Oreopolous D, Michelis M, Herschorn S, eds. *Nephrology and Urology in the Aged Patient*. Dordrecht, Kluwer Academic Publishers, 1993, pp 563-568.

Kjellstrand C. High technology medicine and the old: the dialysis example. *J Intern Med* 1996;239:195-210.

Kjellstrand, C. Duration and adequacy of dialysis: the science is easy, the ethics very difficult. *ASAIO Journal* 1997;43:220-224.

Kjellstrand, C. Withdrawing from dialysis: a rational decision for some diabetic ESRD patients. *Seminars in Dialysis* 1997;10:235-237.

Kjellstrand C. Giving up – discontinuation of dialysis. In Friedman E, L'Esperance FA, eds. *Diabetic Renal-Retinal Syndrome, Fifth Edition*. The Netherlands, Kluwer Academic Publishers, 1998, pp 269-278.

Kjellstrand C, Cranford R, Kaye M. Stopping dialysis: practice and cultural, religious and legal aspects. In Winchester J, Jacobs C, Koch K, Kjellstrand C, eds. *Replacement of Renal Function by Dialysis, Fourth Edition*. The Netherlands, Kluwer Academic Publishers, 1996, Chap. 63, pp 1480-1501.

Kjellstrand C, Dossetor, J: Stopping dialysis: an ethical analysis, in Kjellstrand C, Dossetor J, eds. *Ethical Problems in Dialysis and Transplantation*. The Netherlands, Kluwer Academic Publishers, 1992, pp 147-155.

Kjellstrand CM, Neu SE. The controversy of terminating life-supporting chronic dialysis therapy. *Contemporary Dialysis and Nephrology* 1986;11:48-50.

Kjervik DK, Badzek L. Legal considerations at the end of life. *ANNA J* 1998;25(6):593-597.

Leggat JE, Port FK. To be or not to be: the decision to withdraw or be withdrawn from dialysis: Authors' reply. *Am J Kidney Dis* 1999;33:603-606.

Leggat JE, Swartz RD, Port FK. Withdrawal from dialysis: a review with an emphasis on the black experience. *Adv Ren Replace Ther* 1997;4:22-29.

Lew SQ, Cohn F, Cohen LM, Kimmel, PL. Ethical issues in aging and renal disease. *Adv Ren Repl Ther* 2000;7(1):63-69.

Lowance DL. The factors and guidelines to be considered in offering treatment to patients with end-stage renal disease: a personal opinion. *Am J Kid Dis* 1993;21,6:679-683.

McCue JD, Cohen LM. Freud's physician-assisted death. *Arch Intern Med* 1999;159:1521-5.

McKenzie JK, Moss AH, Feest TG, Stocking CB, Siegler M. Dialysis decision making in Canada, the United Kingdom, and the United States. *Am J Kidney Dis* 1998;31:12-18.

Moss AH. Ethics and end stage renal disease: a life-cycle perspective. *Nephrol Nurs Today* 1991;1:1-7.

Moss AH. Dialysis decisions and the elderly. *Clinics in Geriatric Medicine* 1994;10:463-473.

Moss AH. To use dialysis appropriately: the emerging consensus on patient selection guidelines. *Adv Ren Repl Ther* 1995;2:175-183.

Moss AH. Kidney dialysis. In Reich WT, ed. *Encyclopedia of Bioethics, Revised Edition*. New York, NY, Simon & Schuster Macmillan, 1995, pp 1317-1324.

Moss AH: Physician-assisted suicide: a care option for dying patients? *Nephrol News Issues* 1996;10: 42-44.

Moss AH. Patient selection for dialysis and the decision to withdraw dialysis. In Brady HR, Wilcox CS, eds. *Therapy in Nephrology and Hypertension*. Philadelphia, W.B. Saunders, Co., 1999, pp. 598-602.

Moss AH. At least we do not feel guilty: managing conflict with families over dialysis discontinuation. *Am J Kidney Dis* 1998;31:868-883.

Moss AH. Shared decision-making in dialysis: the new RPA/ASN guideline on appropriate initiation and withdrawal of treatment. *Am J Kidney Dis* 2001;37(5):1081-1091.

Moss AH, Cassel CK. What are the important ethical issues in chronic dialysis? *Seminars in Dialysis* 3:1990;213-215.

Moss AH, Rettig RA, Cassel CK. A proposal for guidelines for patient acceptance to and withdrawal from dialysis: a follow-up to the Institute of Medicine ESRD Report. *ANNA J* 1993;20:557-561.

Moss AH, Stocking CB, Sachs GA, Siegler M. Variations in the attitudes of dialysis unit directors toward decisions to withhold and withdraw dialysis. *J Am Soc Neph* 1993;4:229-234.

Munoz JE, Kjellstrand CM. Withdrawing life support: do families and physicians decide as patients do? *Nephron* 1988;48:201-205.

Neu S, Kjellstrand CM. Stopping long-term dialysis: an empirical study of withdrawal of life-supporting treatment. *N Engl J Med* 1996;314:14-20.

Patient Services Committee of the National Kidney Foundation. *The Initiation or Withdrawal of Dialysis in End-Stage Renal Disease: Guidelines for the Health Care Team*. New York, NY, National Kidney Foundation, 1996 [Co-authors: Coleman WR, King K.]

Perry E, Buck C, Newsome J, Berger C, Messana J, Swartz R. Dialysis staff influence patients in formulating their advance directives. *Am J Kidney Dis* 1995;25(2):262-268.

Renal Physicians Association and American Society of Nephrology. *RPA/ASN Position on Quality Care at the End of Life*. Adopted April 14, 1997.

Renal Physicians Association/American Society of Nephrology. *Clinical Practice Guideline on Shared Decision-Making in the Appropriate Initiation of and Withdrawal from Dialysis*. Washington (DC), Renal Physicians Association; 2000 Jan. 124 p. [302 references]

Rettig RA, Cassel CK, Moss AH. Is it time again for patient selection criteria? an IOM view. *Nephrol News Issues* 1992;6:21-23.

Roberts J, Kjellstrand CM. Choosing death: withdrawal without medical reason from chronic dialysis. *Acta Med Scand* 1988;223:181-186.

Roberts J, Snyder R, Kjellstrand CM. Withdrawal of life support --the survivors. *Acta Med Scand* 1998;224:141-8.

Sekkarie MA, Cosma M, Mendelssohn D. Nonreferral and nonacceptance to dialysis by primary care physicians and nephrologists in Canada and the United States. *Am J Kidney Dis* 2001; 38(1):36-41.

Sekkarie MA, Moss AH. Withholding and withdrawing dialysis: the role of physician specialty and education and patient functional status. *Am J Kidney Dis* 1998;31:464-472.

Sinnard JC: Patient withdrawal and staff understanding: two different perspectives. *Nephrol Nurs J* 2001;28:251-252.

Swartz R, Perry E, Schneider C, Burdette T, Curtis G, O'Neil M. The option to withdraw from chronic dialysis treatment. *Adv Ren Replace Ther* 1994;1(3):264-273.

Tulsky JA, Snyder L. Deciding how much care is too much: Ethics case explores futility and appropriate treatment. *ACP Observer* March 1997.

Stopping Dialysis – Medical Management

Bajwa K, Szabo E, Kjellstrand, C. Stopping dialysis: a prospective study of risk factors. *Arch Intern Med* 1996;156:2571-2577.

Barrett B, Parfrey P, Morgan J, Barre P, Fine A, Goldstein M, Handa P, Jindal K, Kjellstrand C, Levin A, Mandin H, Muirhead N, Richardson R. Prediction of early death in end state renal disease patients starting dialysis. *Am J Kidney Dis* 1997;29:214-222.

Cohen LM, Fischel S, Germain M, Woods A, Braden GL, McCue J. Ambivalence and dialysis discontinuation. *Gen Hosp Psychiatry* 1996;18:431-435.

Cohen LM, Germain M, Poppel D.M, Pekow PS, Woods A, Kjellstrand CM. Dying well after discontinuing the life-support treatment of dialysis. *Arch Intern Med* 2000;160:2513-2518.

Cohen LM, Germain M, Poppel DM, Woods A, Kjellstrand CM. Dialysis discontinuation and palliative care. *Am J Kidney Dis* 2000;36:140-144.

Cohen LM, McCue J, Germain M, Kjellstrand CM. Dialysis discontinuation: a "good" death? *Arch Intern Med* 1995;155:42-47.

Cohen LM, Poppel DM, Cohn GM, Reiter GS. A very good death: measuring quality of dying in end-state renal disease. *J Palliat Med* 2001;4(2):167-172.

Cohen LM, Reiter GS, Poppel DM, Germain MJ. Renal palliative care. In Addington-Hall JM, Higginson IJ, eds. *Palliative Care for Non-Cancer Patients*. Oxford University Press-USA, 2001.

Cohen LM, Steinberg MD, Hails KC, Dobscha SK, Fischel SV. The psychiatric evaluation of death-hastening requests: lessons from dialysis discontinuation. *Psychosomatics* 2000; 41(3):195-203.[Commentary on pp 193-194.]

Collins AJ, Hanson G, Umen A, Kjellstrand CM, Keshaviah P. Changing risk-factor demographics in ESRD patients entering hemodialysis and the impact on long-term mortality. *Am J Kidney Dis* 1990;15:422-432.

DeVelasco R, Dinwiddie LC. Management of the patient with ESRD after withdrawal from dialysis. *ANNA J* 1998;25(6): 611-614.

Dinwiddie LC. The dilemma of "the last access site". [Clinical Consult Column]. *ANNA J* 1998;25(6):636,659.

Dinwiddie LC. Collaborative care with hospice to help Richard and Irene: a case study. *ANNA J* 1998;25(6): 631-639.

Holley JL. Withdrawing from dialysis: Clinical experiences. *Contemporary Dialysis & Nephrology* 1998;19:29-30.

King K. Withdrawal from dialysis. *EDTNA/ERCA J* 1997;23(1).

Leggat JE, Bloembergen WE, Levine G, Hulbert-Shearon TE, Port FK. An analysis of risk factors for withdrawal from dialysis before death. *J Am Soc Nephrol* 1997;8:1755-1763.

Leggat JE, Port FK, Bloembergen WE. Survival in hemodialysis patients by race and gender: cause specific mortality and the effect of withdrawal. [Presented at the American Society of Nephrology meeting, San Antonio, TX, 1997.]

Leggat JE, Port FK, Bloembergen WE. Withdrawal from dialysis: the relationship with comorbid conditions, albumin, and dose of dialysis. [Presented at the American Society of Nephrology meeting, San Antonio, TX 1997.]

Moss AH. A new clinical practice guideline on initiation and withdrawal of dialysis that makes explicit the role of palliative medicine. *J Palliat Med* 2000;3:253-260.

Moss AH. Shared decision-making in dialysis: the new RPA/ASN guideline on appropriate initiation and withdrawal of treatment. *Am J Kidney Dis* 2001;37(5):1081-1091.

Neely KJ, Roxe DM. Palliative care/hospice and the withdrawal of dialysis. *J Palliat Med* 2000;3: 57-67.

Nissenson AR. Assessing the effects of peritoneal dialysis on the health-related quality of life of the adult patient. *Perit Dial Int* 1997;17 (Suppl 3):532-534.

Renal Physicians Association/American Society of Nephrology. Clinical Practice Guideline on Shared Decision-Making in the Appropriate Initiation of and Withdrawal from Dialysis.

Washington (DC), Renal Physicians Association; 2000 Jan. 124 p. [302 references]

Sekkarie MA, Moss, AH. Withholding and withdrawing dialysis: the role of physician specialty and education and patient functional status. *Am J Kidney Dis* 1998;31: 464-472.

Pain & Symptom Management

Aronoff GR, Berns, JS, Brier ME, Golper TA, Morrison G, Singer I, Swan SK, Bennett WM. *Drug Prescribing in Renal Failure: Dosing Guidelines for Adults*. Fourth Edition. ACP-ASIM, 1999.

Balaskas E, Bamihas G, Karamouzis M, Voyiatzis G, Tourkantonis A. Histamine and serotonin in uremic pruritus: effect of ondansetron in CAPD-pruritic patients. *Nephron* 1998; 78:395-402.

Blumenkrantz, MJ. Nutrition. In: Daugirdas JT, Ing TS, eds. *Handbook of Dialysis*, 2nd Edition. Boston: Little, Brown, 1994, 374-400.

Boccanfuso JA, et al. The effects of megestrol acetate on nutritional parameters in a dialysis population. *J of Renal Nutrition* 2000;10:36-43.

Bonomini V, Coli L, Scolari MP. Profiling dialysis: a new approach to dialysis intolerance. *Nephron* 1997; 75:1-6.

Breneman D, Cardone J, Blumsack R. Topical capsaicin for treatment of hemodialysis-related pruritus. *J Am Acad Derm* 1992;25:91-94.

Casarett DJ, Inouye SK. Diagnosis and management of delirium near the End of Life. For the ACP-ASIM Consensus Panel. *Intern Med* 2001;135:32-4.

DeMarchi S, Ceddhin E, Villallta D. Relief of pruritus and decreases in plasma histamine concentrations during erythropoietin therapy in patients with uremia. *NE J Med* 1992;326:969-974.

Dheen S, et al. Effects of Sertraline on Dialysis Hypotension. *Am J Kid Dis* 1998;31:624-630.

Feinstein E. The Skin. In: Daugirdas F & Ing T, eds. *Handbook of Dialysis*, Edition 2. New York: Little, Brown, 1994, 583-589.

Franco G, Kauh V, Grittlen S. Elevated plasma histamine in chronic uremia: effects of ketotifen on pruritus. *Int J Derm* 1991; 30:884-889.

Giovanetti S, Barsotti G, Cupisti A. Oral activated charcoal in patients with uremic pruritus. *Nephron* 1995; 70:193-196.

Grattan, CEH, et al. Plasmapheresis for severe, unremitting, chronic urticaria. *Lancet* 1992; 339:1078-1080.

Hiroshige K, Kabashima N, Masayuki T. Optimal dialysis improves uremic pruritus. *Am J Kid Dis* 1995;25:413-419.

Kardinal C, et al. A controlled trial of cyproheptadine in cancer patients with anorexia. *Cancer* 1990;65:2657-2662.

Kaufman AM, et al. Effects of controlled blood cooling on hemodynamic stability and urea kinetics during high-efficiency hemodialysis. *J Am Soc Neph* 1998;9:877-883.

Levy NB, Cohen LM. End-stage renal disease and its treatment: dialysis and transplantation. In Stoudemeyer A, Fogel B, Greenberg D, eds. *Psychiatric Care of the Medical Patient*, Second Edition. New York, Oxford University Press, 1999.

Lien YH, Ruffenach SJ. Low dose megestrol increases serum albumin in malnourished dialysis patients. *Int J Artif Organs* 1996;19:147-150.

Lin S, et al. Effect of Pramipexole in treatment of resistant restless legs syndrome. *Mayo Clin Proc* 1998;73:497-500.

Liwiecki E, Rahman F. Pruritus, a manifestation of iron deficiency. *JAMA* 1976;236:2319-2320.

Masi C, Cohen E. Dialysis efficacy and itching in renal failure. *Nephron* 1992;62:257-261.

Massry S, Popovtzer M, Coburn J. Intractable pruritus as a manifestation of secondary hyperparathyroidism in uremia. *NE J Med* 1968;279:697-700.

Matsumoto M, Ichimaru K, Horie A. Pruritus and mast cell proliferation of the skin in end stage renal failure. *Clin Nephrol* 1985;23:285-288.

Morton C, Lafferty M, Hau C, Henderson I, Jones M & Lowe, J. Pruritis and skin hydration during dialysis. *Nephrology, Dialysis & Transplantation* 1996; 11:2031-2036.

Moss AH. Shared decision-making in dialysis: the new RPA/ASN guideline on appropriate initiation and withdrawal of treatment. *Am J Kidney Dis* 2001;37(5):1081-1091.

Peer G, Kivity S, Agami O, Fireman E, Silverberg D, Blum M, Ianina A. Randomized crossover trial of Naltrexone in uraemic pruritus. *Lancet* 1996;348:1552-1554.

Ponticelli C, Bencini PL. Uremic pruritis: a review. *Nephron* 1992;60:1-5.

Renal Physicians Association/American Society of Nephrology. Clinical Practice Guideline on Shared Decision-Making in the Appropriate Initiation of and Withdrawal from Dialysis. Washington (DC), Renal Physicians Association; 2000 Jan. 124 p. [302 references]

Robertson K, Mueller B. Uremic pruritis. *Am J Health-System Pharmacists* 1996;53:2159-2170.

Roca AO, et al. Efficacy of quinine versus Vitamin E. *ASAIO Journal* 1992;38:M481-M485.

Silva S, et al. Thalidomide for the treatment of uremic pruritis: a crossover randomized double-blind trial. *Nephron* 1994;67:270-273.

Silverberg D, Iaina A, Reisin E. Cholestyramine in uraemic pruritus. *Brit Med J* 1977;1:752-753.

Stockenhuber F, Kurz R, Sertl K, Grimm G, Balcke P. Increased plasma histamine levels in uraemic pruritus. *Clin Sci* 1990;79:477-482.

Swan S, Bennett W. Use of drugs in patients with renal failure. In: Schrier R, Gottschalk C, eds. *Diseases of the Kidney, Vol I, Sixth Edition*. Boston, New York, Toronto, London; Little, Brown and Company, 1997, 2968-3005.

Tapia L, Cheigh H, David D. Pruritus in dialysis patients treated with parenteral lidocaine. *NE J of Med* 1977;296:261-262.

Yatzidis H, Desenis P, Tountas C. Heparin treatment of uremic itching. *JAMA* 1972;222:183.

Psychosocial & Spiritual Support

Cohen LM. End-of-life issues in dialysis and transplantation. In Matsushita M, Fukunishi I, eds. *Cutting-Edge Medicine and Liaison Psychiatry - Psychiatric Problems of Organ Transplantation, Cancer, HIV/AIDS and Genetic Therapy*. Amsterdam, The Netherlands; Elsevier Science BV, 1999, pp 149-158.

Cohen LM. Psychiatric aspects of renal transplantation and dialysis. In Rundell JR, Wise M, eds. *American Psychiatric Press Textbook of Consultation-Liaison Psychiatry, Second Edition*. Washington, D.C., American Psychiatric Press, 1999.

Cohen LM. Renal disease, in Rundell JR, Wise M, eds. *American Psychiatric Press Textbook of Consultation-Liaison Psychiatry*. Washington, D.C., American Psychiatric Press, 1996, pp 573-578.

Cohen LM, Germain M, Woods A, Gilman ED, McCue J. Patient attitudes and psychological considerations in dialysis discontinuation. *Psychosomatics* 1993;34:395-401.

Dingwall RR. Living with renal failure: the psychological issues. *EDTNA/ ERCA J* 1997;23(4): 28-30, 35.

Furr LA: Psycho-social aspects of serious renal disease and dialysis: a review of the literature. *Soc Work Health Care* 1998;27(3):97-118.

Germino BB. When a chronic illness becomes terminal. *ANNA J* 1998;25(6):579-582.

Husebye D, Styrvoky T, Westlie L, Kjellstrand CM. Psychological, social and somatic prognostic indicators in old patients on chronic dialysis. *Arch Intern Med* 1987;147:1921-1924.

Kapron K, Perry E, Bowman T, Swartz R. Peer resource consulting: redesigning a new future. *Adv Ren Repl Ther* 1997;4:267-274.

Kimmel PL, Peterson RA, Weihs KL, Simmens SJ, Alleyne S, Cruz I, Veis JH. Psychosocial factors, behavioral compliance and survival in urban hemodialysis patients. *Kid Int* 1998;54:245-254.

Levenson JL, Glocheski S. Psychological factors affecting end-stage renal disease: a review. *Psychosomatics* 1991;32(4):382-389.

Levy NB, Cohen LM. Psychiatric considerations. In Massry SG, Glasscock RJ, eds. *Textbook of Nephrology, Fourth Edition*. Williams and Wilkins. (In Press).

Shears T. Holding on, letting go: when living a good life can mean dying a good death. *Advance*, University of Michigan Medical Center, Fall 1990, 2-13.

Soltys FG, Brookins M, Seney J. Why hospice? The case for ESRD patients and their families. *ANNA J* 1998;25(6):619- 624, 578.

Swartz R, Perry E, Prochaska C, Boyd S, Brennan K, Cozzi E, Sorrentino J, Fisher M, Matthews D, Leonard M. Breakdowns on the path of chronic illness: opportunities for learning. *Adv Ren Repl Ther* 1998;5:315-323.

Woods A, Berzoff J, Cohen LM, Cait CA, Pekow P, Germain M, Poppel D. The family perspective of end-of-life care in end-stage renal disease: the role of the social worker. *J Nephrol Soc Work* 1999;19:9-21.

Quality of Life

Ahmed S, Addicott C, Qureshi, M, Pendleton N, Clague JE, Horan MA. Opinions of elderly people on treatment of end-stage renal disease. *Gerontology* 1999;45(3): 156-159.

Anandarajah G, Hight E. Spirituality and medical practice: using the HOPE questions as a practical tool for spiritual assessment. *Am Fam Physician* 2001; 83:81-8, 89.

Cagney KA, Wu AW, Fink NE, Jenckes MW, Meyer KB, Bass EB, Powe NR. Formal literature review of quality-of-life instruments used in end-stage renal disease. *Am J Kidney Dis* 2000;36: 327-341.

Edgell ET, Coons SJ, Carter WB, Kallich J.D, Mapes D, Damush TM, Hays RD. A review of health-related quality-of-life measures used in end-stage renal disease. *Clin Ther* 1996;18:887-938.

Hays RD, Kallich J.D, Mapes DL, Coons,AJ, Carter WB. Development of the Kidney Disease Quality of Life (KDQOL) Instrument. *Quality of Life Research* 1994; 3:329-338.

Jofre R, Lopez-Gomez JM, Valdereabano F. Quality of life for patient groups. *Kid Int* 2000;17(Suppl 74):S121-S130.

Killingworth A, Van den Akker O. The quality of life of renal dialysis patients: trying to find the missing measurement. *Int J Nurs Studies* 1996;33(1):107-120.

Kimmel PA. Just whose quality of life is it anyway? Controversies and consistencies in measurements of quality of life. *Kidney Int* 2000;57S:113-120.

Kimmel PL, Peterson RA, Shidler N.R. What does KDQOL measure? *J Am Soc Nephrol* 1998;9:1091A.

Kimmel PL, Peterson RA, Weihs KL, Simmens SJ, Boyle DH, Cruz I, Umana WO, Alleyne S, Veis JH. Aspects of quality of life in hemodialysis patients. *J Am Soc Nephrol* 1995;6(5):1418-1426.

Kimmel P, Peterson R, Weihs KL, Simmens SJ, Boyle DH, Umana WO, Kovac JA, Alleyne S, Cruz I, Veis JH. Psychologic functioning, quality of life, and behavioral compliance in patients beginning hemodialysis. *J Am Soc Nephrol* 1996;7(10):2152-2159.

Kimmel PL, Peterson RA, Weihs, KL, Simmens SJ, Kovac JA., Boyle DH, Veis JH, Cruz I. Compliance with dialysis prescription, social support, quality of life and decreased functional level are associated with enhanced survival in inner city hemodialysis patients. *J Am Soc Nephrol* 1996;7:1451A.

Koenig H, Religion, spirituality, and medicine: how are they related and what does it mean? *Mayo Clin Proc* 2001;76:1189-1191

Laupacis A, Muirhead N, Keown P, Wong C. A disease-specific questionnaire for assessing quality of life in patients on hemodialysis. *Nephron* 1992;60:302-306.

Michener JA. A unique dialysis quality management experience: an interview with novelist James A. Michener [interview by Alex Rosenblum]. *ANNA J* 1995; 22(5):465-467.

Mueller P, Plevak D, Rummans, T. Religious involvement, spirituality, and medicine: implications for clinical practice. *Mayo Clin Proc* 2001; 76:1225-1235.

Rettig RA, Sadler JH, Meyer KB, Wasson JH, Parkerson GR, Kantz B, Hays RD, Patrick DL. Assisting health and quality-of-life outcomes in dialysis: a report to an Institute of Medicine Workshop. *Am J Kidney Dis* 1997;30:140-155.

Rubin HR, Jenckes M, Fink NE, Meyer K, Wu AW, Bass EB, Levin N, Powe NR. Patients' view of dialysis care: development of a taxonomy and rating of importance of different aspects of care. [CHOICE study.] *Am J Kidney Dis* 1997;30(6):793-801.

Steele TE, Baltimore D, Finkelstein SH, Juergensen P, Kliger AS, Finkelstein FO. Quality of life in peritoneal dialysis patients. *J Nerv Ment Dis* 1996;184:368-374.

RELATED ARTICLES NOT SPECIFIC TO ESRD

Advance Planning/CPR/DNR Orders

Diem SJ, Lantos JD, Tulsy JA. Cardiopulmonary resuscitation on television: miracles and misinformation. *N Engl J Med* 1996;334:1578-1582.

Dunn PM, Levinson W. Discussing futility with patients and families. *J Gen Intern Med* 1996;11(11):689-693.

Ebell MH, Becker LA, Barry HC, Hagen M. Survival after in-hospital cardiopulmonary resuscitation: a meta-analysis. *J Gen Intern Med* 1998;13:805-816.

Gesensway D. Joanne Lynn: first steps to improve care for the dying. *ACP-AISM Observer*, Feb. 1996.

Greco PJ, Schulman KA, Lavizzo-Mourey R, Hansen-Flaschen J. The Patient Self-Determination Act and the future of advance directives. *Ann Intern Med* 1991;115:639-643.

Meisel A, Snyder L, Quill T, for ACP-ASIM End of Life Care Consensus Panel. Seven legal barriers to end-of-life care: myths, realities, and grains of truth. *JAMA* 2000;284(19):2495-2501.

Molloy DW, et al. Systematic implementation of an advance directive program in nursing homes: a randomized controlled trial. *JAMA* 2000;283,11:1437-1444.

Moss AH. Informing patients about cardiopulmonary resuscitation when the risks outweigh the benefits. *J Gen Intern Med* 1989;4:349-355.

Sabatino CP. Survey of state EMS DNR laws and protocols. *J Law Med Ethics* 1999; 27:297-315.

Singer PA, Martin DK, Lavery JV, Thiel EC, Kelner M, Mendelssohn DC. Reconceptualizing advance care planning from the patients' perspective. *Arch Int Med* 1998;158:879-884.

Snyder JD, Sulmasy DP. Physician-assisted suicide. For the Ethics and Human Rights Committee, ACP-ASIM. *Ann Intern Med* 2001;135(3):209-216.

Strauss PJ. End-of-life Health Care Choices: best interests rule should govern. *New York Law Journal*, March 29, 2001.

Tulsy JA, Fischer GS, Rose MR, Arnold RM. Opening the black box: how do physicians communicate about advance directives? *Ann Intern Med* 1998;129(6):441-449.

Communication/Education

Anderson RM, Funnell MM. Compliance and adherence are dysfunctional concepts in diabetes care. *Diabetes Educ.* 2000 Jul-Aug;26:597-604.

Anderson RM, Funnell MM. Theory is the cart, vision is the horse: reflections on research in diabetes patient education. *Diabetes Educ.* 1999 Nov-Dec;25(6 Suppl):43-51. Review

Buckman R. *How to Break Bad News.* Baltimore, MD, Johns Hopkins University, 1992.

Coulehan JL, Platt FW, Egener B, Frankel R, Lin, C-T, Lown B, Salazar WH. "Let me see if I have this right...": words that help build empathy. *Ann of Intern Med* 2001;135(3):221-227.

Levinson W, Cohen MS, Brady D, Duffy FD. To change or not to change: "Sounds like you have a dilemma". *Ann of Intern Med* 2001;135(5):386-391.

Lo B, Quill T, Tulsky . Discussing palliative care with patients. *Ann Intern Med* 1999;130:744-749.

Maguire P. How to avoid conflicts with patients and families during end-of-life care. *ACP-ASIM Observer*, June 2000.

Nease Jr RF, Brooks W. Patient desire for information and decision making in health care decisions: the Autonomy Preference Index and the Health Opinion Survey. *J Gen Intern Med* 1995;10:593-600.

Platt FW, Gaspar DL, Coulehan JL, Fox L, Adler AJ, Weston WW, Smith RC, Stewart M. "Tell me about yourself": the patient-centered interview. *Ann Intern Med* 2001;134(11):1079-1085.

Quill TE. Initiating end-of-life discussions with seriously ill patients: addressing "the elephant in the room." *JAMA* 2000;284(19):2502-2507.

Teno JM. Advance directives for nursing home residents: achieving compassionate, competent, cost-effective care. *JAMA* 2000;283,11:1481-1482.

Tulsky JA. Teaching physicians to deliver bad news: some practical advice. *J Pall Med* 1999;1(4):423-426.

White KR, Coyne PJ, Patel UB. Are nurses adequately prepared for end-of-life care? *J Nurs Scholarship* 2001;33:2, 147-151.

Quality of Life

Byock IR, Merriman MP. Measuring quality of life for patients with terminal illness: the Missoula-VITAS quality of life index. *Palliat Med* 1998;12(4):231-244.

Cohen S., Mount BM, Strobel MG, Bui F. The McGill Quality of Life Questionnaire: a measure of quality of life appropriate for people with advanced disease. A preliminary study of validity and acceptability. *Palliat Med* 1995;9:207-219.

Cohen SR, Mount BM, Bruera E, Provost M, Rowe J, Tong K. Validity of the McGill Quality of Life Questionnaire in the palliative care setting: a multi-centre Canadian study demonstrating the importance of the existential domain. *Palliat Med* 1997;11:3-20.

Daaleman TP, Vandecreek L. Placing religion and spirituality in end-of-life care. *JAMA* 2000;284(19):2514-2517.

Diener E, Emmons R, Larsen R, Griffin S. The satisfaction with life scale. *J Personality Assessment* 1985; 49(1):71-75.

DiMatteo MR, Hays R. The significance of patients' perceptions of physician conduct: a study of patient satisfaction in a family practice center. *J Commun Health* Fall 1980;6(1):18-34.

Dudley JR, Smith C, Millison MB. Unfinished business: assessing the spiritual needs of hospice clients. *Am J Hosp Pall Care* March/April 1995:30-37.

Faber-Langendoen K, Lanken PN, for the ACP-ASIN End-of-Life Care Consensus Panel. *Ann of Intern Med* 2000;133(11):886-893.

Gill TM, Feinstein AR. A critical appraisal of the quality of quality-of-life measurements. *JAMA* 1994; 272(8):619-626.

Leake R, Friend R, Wadhwa N. Improving adjustment to chronic illness through strategic self-presentation: an experimental study on a renal dialysis unit. *Health Psych* 1999;18(1):54-62.

McDowell I, Newell C. *Measuring Health: A guide to Rating Scales and Questionnaires.* (AHCPR grant HS06206). New York: Oxford University Press, 1996.

Mozes B, Shabtai E. The contribution of personal rating to the clinimetric functioning of a generic quality-of-life instrument. *J Clin Epidemiology* 1996;49:1419-1422.

Muldoon MF, Barger SD, Flory JD, Manuck SB. What are quality of life measurements measuring? *Br Med J* 1998;316:542-545.

Rummans TA, Bostwick JM, Clark MM. Maintaining quality of life at the end of life. *Mayo Clin Proc* 2000;75:1305-1310.

Singer PA, Martin DK, Kelner M. Quality end-of-life care, patients' perspectives. JAMA 1999; 281:163-168.

Steinhauser KE, Christakis NA, Clipp EC, McNeilly M, McIntyre L, Tulsky JA. Factors considered important at the end of life by patients, family, physicians, and other care providers. JAMA 2000;284(19):2476-2482.

Steinhauser KE, Clipp EC, McNeilly M, Christakis NA, McIntyre LM, Tulsky JA. In search of a good death: observations of patients, families and providers. Ann Intern Med 2000;132(10):825-832.

Stewart AL, Greenfield S, Hays RD, Wells K, Rogers WH, Berry SD, McGlynn EA, Ware JE. Functional status and well being of patients with chronic conditions: results from the Medical Outcomes Study. JAMA 1989;262:907-913.

Teno J, Stewart A. Quality of life. [Literature review and bibliography.] In: TIME:Toolkit of Instruments to Measure End-of-life Care. Available on World Wide Web, <http://www.chcr.brown.edu/pcoc/toolkit.htm> as of February 1, 2002.

Van Campen,C, Sixma H, Friele RD, Kerssens JJ, Peters L. Quality of care and patient satisfaction: a review of measuring instruments. Med Care Res Review 1995;52:109-133.

Ware JE, Sherbourn, CD. The MOS 36-item short-form health survey (SF-36): I. Conceptual framework and item selection. Med Care 1992;30:473-483.

Ware JE, Snow KK, Kosinski M, Gander B. SF-36 Health Survey Manual and Interpretation Guide. Boston, M, The Health Institute, 1993.

Wilson IB, Cleary PD. Linking clinical variables with health-related quality of life. JAMA 1995;273:59-65.